

UltraBar-UltraPush-UltraBarUL

FEATURES:

Handlebar Clamp Diameter: 1" (25.4mm).
Bend Angle: UltraBar and UltraBar UL 4°, UltraPush 6°.
Materials: Carbon fiber / Al 7075 composite.
Width: UltraBar UL 560mm, UltraBar 580mm, UltraPush 600mm.
Compatible with short x-country bar extension, like CyberEnds.
Destination: Cross Country only, not for Downhill.

REINFORCED END PLUGS:

- Our handlebars feature glued in aluminium reinforcements that shouldn't be removed.
- Reinforcements are necessary to handle bar-end clamp forces.
- On request we can supply shorter bar custom cut to desired length.

WARNINGS:

- Maximum rider weight: 90 kg / 200 lbs.
- Handlebar must be mounted centrally on a stem with rounded clamp edges and a clamp bar diameter of 1" (25.4mm).
- Always respect tightening torque suggested by the stem manufacturer.
- To avoid injury do not modify in any way bar and stem parts, surfaces and materials.
- Surface damages and scratches can compromise carbon fiber structural strength.
- Replace immediately the bar and the stem after accident, violent shock or in case of any damage on their surface.

Studio Riva S.r.l. - Tel: ++39 0371 203059 Fax: ++39 0371 203754
email: studioriva@extralite.com - www.extralite.com

EXTRALITE